



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

ASTRONOMICAL OBSERVATIONS IN 1896.

Made by TORVALD KÖHL, at Odder, Denmark.

VARIABLE STARS.

Z Cygni.

January	8: Z = d.	September 26:	$\begin{cases} < c. \\ > d. \end{cases}$
	13: $\begin{cases} < d. \\ > e. \end{cases}$	30:	id.
	18: = e.	October 8:	$\begin{cases} < d. \\ > e. \end{cases}$
February	15: < e.	11:	a little > e.
May	5: < e.	26:	= e.
	9: < e.	28:	= e.
August	15: $\begin{cases} > f. \\ < 26. \end{cases}$	30:	= e.
	30: a little > b.	November 4:	< e.
September	8: = b.	7:	< e.
		8:	< e.

X² Cygni.

January	8: $\begin{cases} > a. \\ < A. \end{cases}$	August 15:	invisible.
	13: id.	17:	id.
	18: almost = A.	September 26:	id.
	19: id.	October 8:	a little < k.
May	7: = g ¹ .	26:	id.
	9: id.	28:	id.

The Stars A and B, near X² Cygni.

January	8: A < B.	September 3:	id.
	13: A = B.	8:	A = B.
	18: id.	26:	id.
	19: id.	30:	A < B.
May	5: A < B.	October 8:	A < B, Distinct
	7: id.	11:	A < B.
	9: A = B.	26:	id.
August	15: A < B.	28:	id.
	17: A = B.	30:	A = B.
	18: id.	November 4:	A < B.
	30: A < B.	8:	A = B.
1897, January 1: A > B. N. B.			

S Ursæ majoris.

January	8: S = f.	September	3: faint.
	13: a little < f.		4: = g.
	19: = g.		8: id.
February	15: id.		26: almost invis-
March	11: = f ^r .		ble.
	17: a little > f ^r .		30: id.
	20: > f.	October	8: invisible.
	31: < e.		26: almost invis-
May	1: = d.		ble.
	9: id.		28: = g.
August	18: = f.	November	4: = f.
	30: a little < g.		7: id.

T Ursæ majoris.

January	8: T a little > a.	September	3: a little > b.
	13: > a.		4: id.
	19: a little > a.		8: > b.
February	15: = b.		26: > a.
March	11: = e.		30: a little > a.
	17: id.	October	8: id.
	20: id.		26: { < b.
May	1: invisible.		{ > c.
	9: id.		28: almost = c.
August	18: a little > e.	November	4: = c.
	30: { > c.		7: a little < c.
	{ < b.		

THE LUNAR ECLIPSE OF FEBRUARY 28TH.

h.	m.		
7	16	P. M.	. . . Shadow touching limb of Moon.
	30		. . . Shadow touching <i>Sirsalis a. Heraclides</i> .
	33		. . . Shadow touching <i>Cap Laplace</i> .
	38		. . . Shadow touching <i>Plato</i> .
	40		. . . Shadow touching <i>Copernicus</i> .
	42		. . . Shadow touching <i>Gassendi</i> East.
	44		. . . Shadow touching <i>Gassendi</i> West.
	48		. . . Shadow touching <i>Mare serenitatis</i> East.
	55		. . . Shadow touching <i>Bessel</i> .
8	9		. . . Shadow touching <i>Proclus</i> .

h. m.		
	20 P. M.	. . . Shadow touching <i>Tycho</i> East.
	46 (Maximum)
9	17	. . . Shadow touching <i>Grimaldi</i> .
	43	. . . Shadow touching <i>Copernicus</i> .
	47	. . . Shadow touching <i>Heracles</i> .
	52	. . . Shadow touching <i>Cap Laplace</i> .
	57	. . . Shadow touching <i>Plato</i> East.
	58.5	. . . Shadow touching <i>Plato</i> West.
10	5	. . . Shadow touching <i>Aristoteles</i> .
	7	. . . Shadow touching <i>Proclus</i> .
	15	. . . Shadow touching limb of Moon.

OCCULTATION OF THE PLEIADES.

h. m. s.			
8	55	45 Immersion of <i>Celso</i> .
	59	30 Immersion of <i>Electra</i> .
9	16	40 Immersion of <i>Taygeta</i> .
	23	40 Immersion of <i>Maya</i> .
	40	30 (?) { Immersion of <i>Asterope</i> †.
		 { Emergence of <i>Electra</i> .
	53	40 Emergence of <i>Celso</i> .
10	5	40 Emergence of <i>Taygeta</i> .
	22	50 Emergence of <i>Maya</i> .

SHOOTING STARS.

No.	Time, P. M.	Beginning.	End.	Magni- tude.	NOTE.	
1896.						
1	Aug. 9 . 10 ^h 3 ^m 30 ^s	237+ 8	234— 3	♀		
2	8 0	1+29	1+29	1		
3	10 20	343+11	335+ 6	3		
4	22 0	300+48	289+40	3		
5	23 30	292+10	286+ 4	3		
6	33 0	348+18	342+14	2		
7	35 0	270+56	242+75	1		
8	38 20	337+30	330+20	2		
9	39 0	345+65	340+49	♀		
10	42 0	292+ 3	291— 4	1		
11	42 15	294+26	282+10	1/3☉	Fireball.	
12	48 10	322+70	306+58	1		
13	50 0	290+52	275+30	2		
14	53 45	245+63	206+58	2		
15	58 10	298+50	288+42	3		
16	59 15	344+43	331+30	3		
17	11 1 0	303+20	294+ 5	2		
18	4 40	25+30	24+14	♀		
19	8 0	303+45	287+29	3		
20	11 10	309—11	301—19	1		
21	18 30	240+33	225+22	3	Train.	
22	22 30	307—10	301—16	3		
23	26 0	13+19	3+ 6	♀		
24	31 30	309—17	301—23	1		
25	39 30	27+32	27+22	♀		
26	43 15	288+10	284+ 0	2	Fireball.	
27	50 40	323— 7	312—13	3		
28	51 20	18+32	3+22	1/4☉		
29	56 15	318+50	304+40	2		
30	59 0	66+75	40+86	2		
Time, A. M.						
31	Aug. 10. 12 2 —	328+43	312+32	3		
32	3 —	330+ 2	322— 4	3		
Time, P. M.						
33	10 1 10	339— 2	331—14	2 1/2		
34	2 50	341+40	324+18	2 1/2		
35	5 50	295+61	270+34	♀	Train.	
36	7 20	0+58	335+50	1		
37	13 0	321+44	305+40	2		
38	13 30	323+ 9	310— 5	2 1/2		
39	15 0	351+10	340— 5	2 1/2		
40	18 30	332+56	310+44	1		

SHOOTING STARS—*Continued.*

No.	Time, P. M.	Beginning.	End.	Magni- tude.	NOTE.
	1896.	° °	° °		
41	Aug. 10. 10 ^h 21 ^m 45 ^s	10+40	359+23	2	
42	25 40	10+25	6+19	1	
43	33 40	10+37	19+40	3	
44	35 0	263+36	243+12	♀	
45	39 0	258+39	244+23	2	
46	44 45	303+ 2	295-13	2	
47	47 15	293+26	280+ 5	1	
48	50 30	337+ 9	342-15	2	
49	51 50	348+22	342+13	1	Train.
50	56 50	50+70	64+73	1	
51	57 0	35+29	31+19	2	
52	59 50	303- 8	302-18	1	
53	II 2 20	328-15	324-23	1	
54	4 0	342+33	331+21	♀	Train.
55	11 50	319- 5	307-14	♀	Train.
56	14 50	25+34	16+22	1	
57	15 0	266+56	277+42	♀	
58	17 0	40+60	74+64	1	
59	28 0	10+29	1+17	1	
60	35 0	102+45	102+39	♀	
61	35 30	310+30	298+11	♀	
62	37 40	29+16	25+ 6	♀	
63	42 0	346+ 0	339-14	2	
64	45 0	311+14	301- 2	2	
65	45 20	20+27	42+30	2	Slow, undulated light.
66	58 10	16+46	4+36	♀	Train.
67	12 0 0	26+19	21+ 6	1	
68	Aug. 11. 10 10 30	185+50	195+34	1	
69	11 0	148+50	175+29	2	
70	16 40	183+34	190+22	1	
71	24 50	316+33	292+20	1	
72	27 20	337+37	318+22	1	Train.
73	32 20	339+75	319+59	4	
74	45 10	170+80	160+75	3	
75	55 45	5+36	353+24	2	
76	II 2 30	25+20	23+13	2	
77	4 0	27+55	21+50	2	
78	5 0	10+39	358+30	2	
79	10 0	4+ 9	359+ 4	2	
80	Aug. 12. 9 57 30	70+70	2	

No. 23 was also observed at Copenhagen ($356^{\circ} + 30^{\circ} + \rightarrow$
 $341^{\circ} + 18^{\circ}$, 1 Magnitude).

No. 28 was also observed at Copenhagen ($290^{\circ} + 57^{\circ} + \rightarrow$
 $273^{\circ} + 42^{\circ}$, 2).

No. 77 was also observed at Copenhagen ($248^{\circ} + 40^{\circ} + \rightarrow$
 $254^{\circ} + 27^{\circ}$, 1 Magnitude).

These three meteors give the following results:—

No.	Beginning.			End.			Real Length of the Path.
	h	λ	ϕ	h	λ	ϕ	
		° /	° /		° /	° /	
23				120	1 23 East.	54 54	Km.
28				98	0 57 West.	55 32	
77	107	1 17 West.	55 43	101	1 27 West.	55 25	

Odder is situated in $2^{\circ} 25'$ W. longitude from Copenhagen, and $55^{\circ} 58'$ N. latitude. h and β indicate kilometres; λ is longitude from Copenhagen; ϕ is N. latitude.

NOTE.—This paper was accompanied by a drawing of five phases of the occultation of *Jupiter* by the Moon on 1896, June 14.. The drawing is not reproduced here. The radius of *Jupiter* is taken as 9 mm. 2.5 mm. were obscured at $10^h 42^m 50^s$; 8.3 mm. at $10^h 43^m 10^s$; 14 mm. at $10^h 43^m 30^s$. The middle time is that of bisection, according to a late note from Mr. KÖHL.

THE COMMITTEE ON PUBLICATION.

PLANETARY PHENOMENA FOR MAY AND JUNE, 1897.

BY PROFESSOR MALCOLM McNEILL.

MAY.

Mercury is an evening star until May 20th, when it comes to inferior conjunction with the Sun. It passed greatest east elongation on April 28th, and during the first ten days of the month is in very good position for observation, not setting until nearly two hours after sunset on May 1st.